Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S86	2	S80 and (control same (revers$3 inver$4 compliment negat$3) near4 (data pattern signal bits) same formatter)	US-PGPUB; USPAT	OR	ON	2005/11/28 18:29
S85	0	S80 and (control with (revers$3 inver$4 compliment negat$3) near4 (data pattern signal bits) same formatter)	US-PGPUB; USPAT	OR	ON	2005/11/28 18:29
S84	1894	S80 and control with (revers$3 inver$4 compliment negat$3) near4 (data pattern signal bits)	US-PGPUB; USPAT	OR	ON	2005/11/28 18:28
S82	12	S81 and (revers$3 inver$4 compliment negat$3) near4 (data pattern signal bits)	US-PGPUB; USPAT	OR	ON	2005/11/28 18:27
S83	9	S82 not S79	US-PGPUB; USPAT	OR	ON	2005/11/28 18:19
S81	50	S80 and (pattern near3 generat$3) same (timing near3 generat$3) same (pattern near2 memory) same test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 18:19
S80	26933	(714/25,30,42,702,718,720,724-740 365/200,201,63,51 324/765,719, 755 702/120).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 18:19
S79	6	S78 and (revers$3 inver$4 compliment negat$3)	US-PGPUB; USPAT	OR	ON	2005/11/28 18:18
S78	23	(US-20020000823-$ or US-20020010877-$ or US-20020099993-$ or US-20020105353-$ or US-20020178412-$ or US-20030002365-$).did. or (US-5600257-$ or US-5917834-$ or US-5996098-$ or US-6097206-$ or US-6219289-$ or US-6253360-$ or US-6486691-$ or US-6489791-$ or US-6553529-$ or US-6557132-$ or US-6574760-$ or US-6587979-$ or US-6628137-$ or US-6642736-$ or US-6714888-$ or US-6721904-$ or US-6754849-$).did.	US-PGPUB; USPAT	OR	ON	2005/11/28 18:05
S77	1	S75 and (pattern near3 generat$3) same ((timing near3 generat$3) near4 clock) same ((pattern near2 memory) near5 stor$3 near3 data) same test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:14

S76	50	S75 and (pattern near3 generat$3) same (timing near3 generat$3) same (pattern near2 memory) same test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:12
S75	26933	(714/25,30,42,702,718,720,724-740 365/200,201,63,51 324/765,719, 755 702/120).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:10
S73	48	S72 and (pattern near3 generat$3) same (timing near3 generat$3) same (pattern near2 memory) same test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:10
S74	23771	(714/25,30,42,702,718,720,724-740 365/201,63,51 324/765,719,755 702/120).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:08
S72	22828	(714/25,30,42,702,718,720,724-740 365/201,63,51 324/765,719,755 702/120).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:07
S70	85	(pattern near3 generat$3) same (timing near3 generat$3) same (pattern near2 memory) same test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 14:44
S1	18724	(714/25,30,42,702,720,724-740 365/201,63,51 324/765,719,755 702/120).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 14:42
S71	3	S70 and (previous$2 near2 (stor$3 us$3) near3 (data pattern vector string))	USPAT; USOCR	OR	ON	2005/06/16 14:11
S55	1	"5854598".PN.	USPAT; USOCR	OR	ON	2005/06/16 14:08
S68	85	(pattern near3 generat$3) same (timing near3 generat$3) same (pattern near2 memory) same test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:23
S69	6	S68 and BIST	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:20

S67	151	(pattern near3 generat$3) same (timing near3 generat$3) same (pattern near2 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:19
S66	446	(pattern near3 generat$3) same (timing near3 generat$3) and (pattern near2 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:19
S65	2305	(pattern near3 generat$3) same (timing near3 generat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:18
S63	9	(BOST or ((built-out$4 near2 self-test) or (built near2 out$4 near2 self near2 test) or (built-off near2 self-test) or (built near2 off near2 self near2 test))) same (tim$3 near3 generat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:14
S64	8	S63 not S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:00
S62	3	(BOST or ((built-out$4 near2 self-test) or (built near2 out$4 near2 self near2 test) or (built-off near2 self-test) or (built near2 off near2 self near2 test))) and ((pattern data signal bit vector) same (timing near4 depend$4 near3 test$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:57
S61	1	((tester or ATE) and (BOST or ((built-out$4 near2 self-test) or (built near2 out$4 near2 self near2 test) or (built-off near2 self-test) or (built near2 off near2 self near2 test))) and ((pattern data signal bit vector) same (stor$3 near5 (beforehand previous$2)))) and (test$3 near4 timing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:45
S60	0	((tester or ATE) and (BOST or ((built-out$4 near2 self-test) or (built near2 out$4 near2 self near2 test) or (built-off near2 self-test) or (built near2 off near2 self near2 test))) and (((pattern data signal bit vector) same (stor$3 near5 (beforehand previous$2)))) same (test$3 near4 timing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:42

S51	10	((tester or ATE) and (BOST or ((built-out$4 near2 self-test) or (built near2 out$4 near2 self near2 test) or (built-off near2 self-test) or (built near2 off near2 self near2 test))) and ((pattern data signal bit) same (stor$3 near5 (beforehand previous$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:41
S59	1	"4942576".PN.	USPAT; USOCR	OR	ON	2005/06/16 10:37
S58	1	"5517192".PN.	USPAT; USOCR	OR	ON	2005/06/16 10:37
S57	1	"5583502".PN.	USPAT; USOCR	OR	ON	2005/06/16 10:37
S56	1	"5854598".PN.	USPAT; USOCR	OR	ON	2005/06/16 10:37
S54	1	"5977774".PN.	USPAT; USOCR	OR	ON	2005/06/16 10:37
S53	1	"6408412".PN.	USPAT; USOCR	OR	ON	2005/06/16 10:36
S52	1	"6449741".PN.	USPAT; USOCR	OR	ON	2005/06/16 10:36
S50	65	((tester or ATE) and (BOST or ((built-out$4 off near2 self-test) or (built near2 out$4 off near2 self near2 test) or (built-off near2 self-test) or (built near2 off near2 self near2 test))) and ((pattern data signal bit) same (stor$3 near5 (beforehand previous$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:44
S47	449	((tester or ATE) and (BOST or ((built-(out$4 off) near2 self-test) or (built near2 (out$4 off) near2 self near2 test))) and ((pattern data signal bit) same (stor$3 near5 (beforehand previous$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:42
S49	85	S48 and (BIST or ((built-in near2 self-test) or built near2 in near2 self near2 test))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:41
S48	439	S47 not S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:40

S41	2	((test$2 or ATE) and (BIST or ((built-in near2 self-test) or built near2 in near2 self near2 test)) and (((look-up lookup (look near2 up)) near4 (memory table directory)) same (stor$3 near5 (beforehand previous$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:40
S46	1	"5889936".PN.	USPAT; USOCR	OR	ON	2005/02/04 10:32
S45	1	"6101584".PN.	USPAT; USOCR	OR	ON	2005/02/04 10:32
S44	1	"6556492".PN.	USPAT; USOCR	OR	ON	2005/02/04 10:32
S43	31	((test$2 or ATE) and (BOST or ((built-out$4 near2 self-test) or (built near2 out$4 near2 self near2 test))) and ((pattern data signal bit) same (stor$3 near5 (beforehand previous$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:20
S42	4	((test$2 or ATE) and (BOST or ((built-out$4 near2 self-test) or (built near2 out$4 near2 self near2 test))) and (((look-up lookup (look near2 up)) near4 (memory table directory)) same (stor$3 near5 (beforehand previous$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:18
S32	4	((test$2 or ATE) and (BOST or (built-out$4$1self-test or built adj out$4 adj self adj test)) and (((look-up lookup (look near2 up)) near4 (memory table directory)) same (stor$3 near5 (beforehand previous$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:16
S34	4	((test$2 or ATE) and (BIST or (built-in$1self-test or built adj in adj self adj test)) and (((look-up lookup (look near2 up)) near4 (memory table directory)) same (stor$3 near5 (beforehand previous$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:14
S40	1	"5831988".PN.	USPAT; USOCR	OR	ON	2005/02/04 10:12
S39	1	"5968194".PN.	USPAT; USOCR	OR	ON	2005/02/04 10:12
S38	1	"6021514".PN.	USPAT; USOCR	OR	ON	2005/02/04 10:12
S37	1	"5983380".PN.	USPAT; USOCR	OR	ON	2005/02/04 10:11
S36	1	"6438722".PN.	USPAT; USOCR	OR	ON	2005/02/04 10:10

S35	1	"5144230".PN.	USPAT; USOCR	OR	ON	2005/02/04 10:09
S31	2	((test$2 or ATE) and (BIST or (built-in$1self-test or built adj in adj self adj test)) and (BOST or (built-out$4$1self-test or built adj out$4 adj self adj test)) and (((look-up lookup (look near2 up)) near4 (memory table directory)) same (stor$3 near5 (beforehand previous$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:05
S33	8	((BOST or (built-out$4$1self-test or built adj out$4 adj self adj test)) and (((look-up lookup (look near2 up)) near4 (memory table directory)) same (stor$3 near5 (beforehand previous$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:02
S30	2	((test$2 or ATE) and (BIST or (built-in$1self-test or built adj in adj self adj test)) and (BOST or (built-out$4$1self-test or built adj out$4 adj self adj test)) and (((look-up lookup (look near2 up)) near4 memory) same (stor$3 near5 (beforehand previous$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:58
S11	15	((test$2 or ATE) and (BIST or (built-in$1self-test or built adj in adj self adj test)) same (BOST or (built-out$4$1self-test or built adj out$4 adj self adj test)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:45
S29	1	"5559440".PN.	USPAT; USOCR	OR	ON	2005/02/04 09:44
S28	1	"5583502".PN.	USPAT; USOCR	OR	ON	2005/02/04 09:44
S27	1	"5854598".PN.	USPAT; USOCR	OR	ON	2005/02/04 09:43
S26	1	"5977774".PN.	USPAT; USOCR	OR	ON	2005/02/04 09:43
S25	1	"6408412".PN.	USPAT; USOCR	OR	ON	2005/02/04 09:43
S24	1	"6449741".PN.	USPAT; USOCR	OR	ON	2005/02/04 09:42
S10	30	((test$2 or ATE) and (BIST or (built near2 in near2 self near2 test)) same (BOST or (built near2 out$4 near2 self near2 test)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:12

S2	10	(S1 and ((test$2 or ATE) and (BIST or (built-in$1self-test or built adj in adj self adj test)) same (BOST or (built-out$4$1self-test or built adj out$4 adj self adj test))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/25 18:23
S23	2	"5600257".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/25 16:29
S22	1	WO-9706444$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/25 16:29
S21	1	"5509019".PN.	US-PGPUB; USPAT	OR	ON	2004/06/25 16:24
S20	1	"5548884".PN.	US-PGPUB; USPAT	OR	ON	2004/06/25 16:24
S19	1	"5986460".PN.	US-PGPUB; USPAT	OR	ON	2004/06/25 16:23
S18	1	"6359455".PN.	US-PGPUB; USPAT	OR	ON	2004/06/25 16:09
S17	7	((US-6714888-$ or US-6642736-$ or US-6628137-$ or US-6587979-$ or US-6754849-$ or US-6489791-$).did. or (US-20030002365-$ or US-20020105353-$).did. or (JP-2003016799-$).did. or (US-20030002365-$).did.) and (tester same (data or pattern or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/25 15:54
S16	10	(US-6714888-$ or US-6642736-$ or US-6628137-$ or US-6587979-$ or US-6754849-$ or US-6489791-$).did. or (US-20030002365-$ or US-20020105353-$).did. or (JP-2003016799-$).did. or (US-20030002365-$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/06/25 15:54
S15	30	((tester or ATE) same (BOST or (built-out$4$1self-test or built adj out$4 adj self adj test)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:46
S14	26	(((tester or ATE) and (BOST or (built-out$4$1self-test or built adj out$4 adj self adj test)))) not (((tester or ATE) same (BOST or (built-out$4$1self-test or built adj out$4 adj self adj test))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:46

S13	56	((tester or ATE) and (BOST or (built-out$4$1self-test or built adj out$4 adj self adj test)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:45
S12	638	((test$2 or ATE) and (BOST or (built-out$4$1self-test or built adj out$4 adj self adj test)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:45
S9	30	(test$2 or ATE) and (BIST or built near2 in near2 self near2 test) same (BOST or built near2 out$4 near2 self near2 test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:22
S8	14	(test$2 or ATE) and (BIST or built$1in$1self$1test) same (BOST or built$1out$4$1self$1test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:19
S3	10	external near2 test$2 and (BIST or built$1in$1self$1test) same (BOST or built$1out$4$1self$1test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 09:58
S7	1	"5854598".PN.	US-PGPUB; USPAT	OR	ON	2004/06/24 09:48
S6	1	"5977774".PN.	US-PGPUB; USPAT	OR	ON	2004/06/24 09:48
S5	1	"6408412".PN.	US-PGPUB; USPAT	OR	ON	2004/06/24 09:48
S4	1	"6449741".PN.	US-PGPUB; USPAT	OR	ON	2004/06/24 09:47